



# RESIDENTIAL COMMERCIAL DCFC

2024-2025  
[GoElectricAve.com](http://GoElectricAve.com)



## Giving you the power to go green.

At Electric Avenue, we're passionate about supporting the electrification of the transportation industry and creating a greener future for generations to come.

We offer smart charging solutions for home, business and commercial use. Our charging systems provide industry-leading innovative technology that manages the communication between your electric vehicle, grid, building and charger.

**Generate revenue from your chargers using our leading enterprise software and pay-to-charge service to pay off your investment in EVSE faster.**

Through our open-access protocol (OCPP) our chargers will work with other charge management software providers, giving you the flexibility to change providers without having to replace your chargers. Likewise, our software is compatible with other OCPP-compliant chargers.

Not only can this save you costly upgrades in the future, it means less waste going to our landfills!

**It's time to go electric.**

## OUR PRODUCT FAMILIES



The first residential EV charger ready for utility demand response programs through its OCPP 1.6 and OpenADR certifications. Level 2 charging with adjustable 16A-40A (plug-in) or 48A (hardwired) output. Securely controlled via our free mobile app.



Ideal for public, fleet, and multi-unit residential charging, our commercial Level 2 solutions include single port or dual port models, and a variety of adjustable power levels ranging from 6A-80A. Powerful enough to charge today's large battery EVs and backed with a 3-year warranty.













Our most powerful Level 3 DCFC (Direct Current Fast Charging) stations are ideal for highway rest stops, busy fleets and quick service businesses. Power levels range from 30kW-360kW. Backed with a 2-year extendable warranty.

## WHAT WE OFFER

- Compatibility with all North American EVs
- Faster charging with flexible Level 2 and DCFC charging capability from 6A-360kW
- Advanced smart charging and energy optimization
- Protection of your building's electrical load using dynamic load balancing
- Free mobile apps to manage and monitor charging activity
- Revenue opportunities using our Enterprise Software for monetization of Watti Pro & Watti Direct chargers

# PRODUCT OVERVIEW

All Electric Avenue chargers are compatible with the free Electric Avenue app. 

|  | <br>Watti Home Gen2 | <br>Watti Pro Lite | <br>Watti Pro | <br>Watti Direct 30kW | <br>Watti Direct 60-480kW |
|--|--|---|---|--|--|
|  |                     |                    |                |                       |                           |
| <b>Recommended Application</b>                 | Single Family Home   | MURB or Fleet   | Public, MURB  | Quick Service Stops  | Off Highway, Large Fleets, Dealerships   |
| Installation Type                              | Wall or Pedestal Mount   | Wall or Pedestal Mount  | Wall or Pedestal Mount  | Wall or Pedestal Mount   | Freestanding   |
| Power  | 6A - 48A   | 6A - 48A  | 6A - 48A or 80A   | 30kW   | 60kW, 120kW, 180kW, 360kW, 480kW   |
| Power Adjustable via Software                  | ●  | ●   | ●   | ●  | ●  |
| Power Adjustable via Hardware                  | ●  | ●   | ●   | ●  | ●  |
| Works with Electric Avenue App (iOS & Android) | ●  | ●   | ●   | ●  | ●  |
| Compatible with Enterprise Software            |  | ●   | ●   | ●  | ●  |
| Offline functionality (Software not required)  | ●  | ●   | ●   | ●  | ●  |
| LAN Connectivity                               | ●  | ●   | ●   | ●  | ●  |
| WiFi Connectivity                              | ●  | ●   | ●   | ●  | ●  |
| 4G Connectivity                                |  | Optional  | Optional  | ●  | ●  |
| Single or Dual Connector                       | Single J1772 or Single NACS  | Single J1772 or Single NACS   | Single J1772 or Single NACS   | Single CCS OR Single NACS  | Dual CCS or Dual NACS  |
| Open Access OCPP 1.6                           | ●  | ●   | ●   | ●  | ●  |
| OCPP 2.0.1 Upgradable                          |  |   | ●   | ●  | ●  |
| CTEP Compliant User Interface LCD Screen       |  |   | ●   | ●  | ●  |
| Cord Length                                    | 5.5m or 7.6m<br>18ft or 25ft   | 5.5m or 7.6m<br>18ft or 25ft  | 5m or 7m<br>16.4ft or 23ft  | 4.5m<br>23ft   | 4.5m or 7m<br>15ft or 23ft   |
| Standard Warranty                              | 3-Year   | 3-Year  | 3-Year  | 2-Year   | 2-Year   |



## SPEC AND DATA SHEETS

All product documentation is available under the Resources tab on our website, [goelectricave.com](http://goelectricave.com). Scan the QR code for quick access.





The next evolution of smart electric vehicle charging at home.




The Watti Home Gen2 packs the power in a compact design. It's the first residential EV charger on the market built for utility demand response programs, through its OCPP 1.6 and OpenADR certifications.

Compatible with any EV, it can provide up to 40 amps with NEMA 14-50P (pre-configured) or up to 48 amps with hardwired installation (hardwire only version available). Provides secure charging authorization, which can only be managed by the station owner using the compatible Electric Avenue app.

Hardware/Software Adjustable 16A-48A | 208/240VAC | WiFi Connectivity  
 cETLus Certified | OCPP 1.6 Certified | LED indicator Light | 5.5m (18ft) or 7.6m (25ft) Cable Options | Mobile App Control | Operates in -40°C to 50°C (-40°F to 122°F)



Lockable J1772-NACS and NACS-J1772 Adapters sold separately.





# LEVEL 2 COMMERCIAL CHARGING




Compact design with powerful 48A output designed for MURBs, workplaces and fleet charging at home



The Watti Pro Lite packs the power in a compact design. Adjustable from 16A-48A, this wall mount AC smart commercial charger is ideal for at-home fleet service charging and multi-unit residential installations. No software required, up to 100 RFIDs can be programmed into the station for user authorization and charge initiation. NACS and J1772 Options available. Optional integrated payment terminal available. Optional 4G Hotspot mode available.

Provides detailed kWh usage reports for employee reimbursement based on their residential utility rates when used with Electric Avenue Enterprise Fleet@Home Software subscription, or enjoy full software functionality and payment collection with an Enterprise Software subscription.

Hardware/Software Adjustable 16A-48A | 208/240VAC | WiFi/LAN and Optional 4G Connectivity | cETLus Certified | OCPP 1.6 | LED indicator Light 5.5m (18ft) or 7.6m (25ft) Cable Options | NFC and RFID Support | Includes 2 RFID Cards | -40°C to 50°C (-40°F to 122°F) | NACS or J1772 Connectors



Universal Pedestal Base & Universal Pedestal Top with Cable Management sold separately.



Electric Avenue



Available in White or Black



**FREE 3-MONTH TRIAL ENTERPRISE SOFTWARE**  
included with every Watti Pro Lite charger!




**3 NEW MODELS NOW AVAILABLE**

- 4G Hotspot Mode
- No Network Payment Processing
- Optional Integrated Payment Terminal





# LEVEL 2 COMMERCIAL CHARGING



## A cost-saving solution that provides reliable connectivity for your charging network.

Ideal for locations with limited WIFI connectivity.

Experience the convenience of our cutting-edge 4G hotspot feature, allowing one charger to seamlessly provide network connectivity to multiple other stations within range.

Say goodbye to multiple data plans and enjoy significant savings on data costs! Requires only one SIM and data plan for up to 16\* stations.

*\*The number of stations depends on station configuration and potential signal obstacles like concrete walls. Contact us to discuss!*



NO NETWORK  
PAYMENT  
PROCESSING

## Enabled with HC, no network is required for payment processing!

Eliminate the need for network connectivity altogether with our HC-enabled Watti Pro Lite, the first of its kind in North America! Perfect for remote locations, it offers seamless payment processing in areas with no internet access, ensuring secure and reliable transactions while reducing setup complexity and costs.

Using cellular connections and tokens, payment information is securely transmitted once a mobile device reconnects to a cellular network. Experience the freedom of network-independent operation with our cutting-edge solution.



INTEGRATED  
PAYMENT TERMINAL

## App-less payments with an integrated payment terminal

Enjoy seamless and easy charging with our Watti Pro Lite featuring a factory-installed payment terminal. Accepting Visa, MasterCard, Apple Pay, Google Pay, and more, it eliminates the need for app payments, providing a hassle-free experience for drivers.

Simplify transactions and enhance user convenience with this all-in-one solution.


*\*Requires a payment terminal subscription plan.*



# LEVEL 2 COMMERCIAL CHARGING



**48A Powerful and durable, suitable for public and commercial charging needs**



The Watti Pro 48A is ideal for public charging, offering a seamless charging experience to EV drivers. Wall-mount AC Smart Charger with optional pedestal with cable management for residential or commercial use.

Monetize your chargers through Electric Avenue's leading enterprise software and pay-to-charge service and make a return on your EV charging investment.

Hardware/Software Adjustable 6A-48A | 208/240VAC | LAN/4G/WiFi Options | UL/cUL Listed | OCPP 1.6/2.0.1 Certified | 5" LCD Screen | 5m (16.5ft) or 7m (23ft) Cable Options | RFID Support | Includes 2 RFID Cards




Electric Avenue



*Single or Dual Pedestals and Cable Retractors Sold Separately*



**80A AC smart charger is powerful enough to charge today's biggest EV batteries**



Our most powerful Level 2 charger, the Watti Pro 80A is designed for high-range vehicles including the latest fleet and pickup trucks. Wall-mount AC smart charger with optional pedestal with cable management for public or commercial use.

Monetize your chargers through Electric Avenue's leading enterprise software and pay-to-charge service and make a return on your EV charging investment.

80A | 19.2kW Output | 208/240VAC | LAN/4G/WiFi Options | UL/cUL Listed | OCPP 1.6/2.0.1 Certified | 5" LCD Screen | RFID Support | 5m (16.5ft) or 7m (23ft) Cable Options | Includes 2 RFID Cards



Electric Avenue




*Single or Dual Pedestals and Cable Retractors Sold Separately*






**30kW Wall Mount Smart DC Fast Charger, ideal for parking garages, quick service restaurants, fleets and service stations**



Watti Direct 30kW offers significant performance and time-saving advantages, including charging speeds up to four times faster than conventional 7kW AC chargers – perfect for wall mount fast service commercial applications. Available with single (CCS) or dual (CCS + CHAdeMO) charging connections.

Monetize your chargers through Electric Avenue's leading enterprise software and pay-to-charge service and make a return on your EV charging investment.

30kW | 480VAC | 60A CCS | 60Hz | LAN/4G/WiFi Connection | cETLus Certified | OCPP 1.6/2.0.1 Certified | 7" LCD Screen | RFID Support | 4.5m (15ft) or 7m (23ft) Cable Options | Optional Pedestal Available (pg. 8)



*Pedestal sold separately*



Electric Avenue



**30kW Portable DC Smart Fast Charger Ideal for fleets, service bays and dealerships**



All the features of the Watti Direct 30kW, but portable, giving you the flexibility to move the charger near the vehicle rather than moving vehicles to stationary chargers. Single charging connection only.

30kW | 480VAC | 60A CCS | 60Hz | LAN/4G/WiFi Connection | cETLus Certified | OCPP 1.6/2.0.1 Certified | 7" LCD Screen | RFID Support | 4.5m (15ft) CCS Cable and 10m (33ft) Supply Cable



Electric Avenue




*Available in White or Stainless/Black*

Boost your business' electric vehicle infrastructure with our DC fast charging solutions that can bring most EVs to an 80% charge within 30 minutes. Minimize your maintenance costs and keep your station operating smoothly in all conditions with the built-in fan-cooling system.

The Watti Direct Free Standing chargers are built to last and feature two charging ports that offer universal compatibility with all EVs. Manage your commercial chargers with the Electric Avenue Enterprise+ Software and mobile app.



**60kW DCFC**  
**Ideal for parking garages, quick service restaurants, fleets and service stations.**



60kW output power with dual CCS1 charging capability. Connects via WiFi, LAN or 4G. Optional payment terminal available. Add Enterprise+ Software for payment collection, over-the-air remote firmware updates, reporting and more.

60kW | 120A CCS1 | 480VAC | 60Hz | LAN/4G/WiFi Connection | cETLus Certified  
 OCPP 1.6/2.0.1 Certified | 7" LCD Screen | RFID Support | 4.5m (15ft) or 7m (23ft)  
 Cable Options | Available in White or Stainless/Black



Electric Avenue




Available in White or Stainless/Black

Cable Management  
 Tops Sold Separately



**120kW DCFC**  
**Ideal for parking garages, quick service restaurants, fleets and service stations.**



A future-proof DC fast charging solution with the flexibility to add up to two 30kW modules, turn this 120kW DCFC into 180kW as demand increases – without having to replace your entire station.

120kW, Upgradable to 180kW | 300A CCS | 480VAC | 60Hz | LAN/4G/WiFi  
 Connection | cETLus Certified | OCPP 1.6/2.0.1 Certified | 7" LCD Screen | RFID  
 Support | 4.5m (15ft) or 7m (23ft) Cable Options



Electric Avenue





30kW DC Charging  
 Modules Sold Separately



**UPGRADABLE TO 180kW**



**180kW DCFC**  
**Ideal for parking garages, quick service restaurants, fleets and service stations.**



180kW output power with dual CCS1 charging capability. Connects via WiFi, LAN or 4G. Optional payment terminal available. Add Enterprise+ Software for payment collection, over-the-air remote firmware updates, reporting and more.

180kW | 300A CCS | 480VAC | 60Hz | LAN/4G/WiFi Connection | cETLus Certified | OCPP 1.6/2.0.1 Certified | 7" LCD Screen | RFID Support | 4.5m (15ft) or 7m (23ft) Cable Options



Electric Avenue



*Cable Management  
 Tops Sold Separately*



**360kW Free Standing DC Fast Chargers**  
**Ideal for highway rest stops, fleet operations, vehicle rental agencies and service stations**



One of our most powerful EV chargers, the Watti Direct 360kW offers simultaneous 4 x CCS1 DC charging with up to 360KW per output (up to 500A per output).

360kW | 480VAC | 200A-500A CCS | 60Hz | LAN/ 4G/WiFi Connection | cETLus Certified | OCPP 1.6/2.0.1 Certified | 7" LCD Screen | RFID Support | 4m (13ft) Cables



Electric Avenue



*Power cabinet required. For full configuration options, reach out to us at [info@goelectricave.com](mailto:info@goelectricave.com).*



**COMING IN 2025**



**360W Next Gen DCFC**  
Experience dynamic effortless charging.  
Fast charging with full colour media display.



Electric Avenue



The next generation of our 360kW DC fast charger featuring a full colour, sunlight-readable 21.5" LCD display that enables custom content. The 360kW Next Gen also features a smaller footprint and unbeatable power and built in cable retraction system.

360kW | 4m (13ft) 300A Air Cooled or 4.6m (15ft) 500A Liquid Cooled CCS Cables | 1Φ277Vac | 60Hz | LAN (RJ 45) Connection | cULus Listed | OCPP 1.6/2.0.1 Certified | 21" Full Colour LCD Screen



Power cabinet required. For full configuration options, reach out to us at [info@goelectriccave.com](mailto:info@goelectriccave.com).

**COMING IN 2025**



**480kW Free Standing DC Fast Chargers**  
Dynamic Charging with Dual Screen.



Electric Avenue



Our most powerful EV charger, the Watti Direct 480kW features boost mode charge, an elevated current mode. Delivers up to 480kW per output. Features front and rear full colour 21" displays for media and advertisement opportunities and a 7" touch display for user operation.

480kW | 4.6m (15ft) 500A Liquid Cooled CCS or 4.6m (15ft) NACS 350A Cables | 3Φ\_480Vac | 60Hz | LAN/4G/WiFi Connection | cULus Listed | OCPP 1.6/2.0.1 Certified | Dual 21" Full Colour LCD Screens | 7" LCD Instructional Display



Power cabinet required. For full configuration options, reach out to us at [info@goelectriccave.com](mailto:info@goelectriccave.com).

**COMING IN 2025**



**480kW Power Dispenser DC Charger**  
The ultimate outdoor charging and advertising solution



High-resolution screens: 50" 2K HD Screens for crystal clear advertising opportunities and 21.5" user-friendly billing screen. Double-sided media screens attract greater engagement. Built-in speaker system can play music or announcements. Includes RFID Payter payment system. Integrated power dispenser provides the smallest footprint with our most powerful charging capacity.

480kW | 4m (13ft) 300A Air Cooled or 4.6m (15ft) 500A Liquid Cooled CCS Cables | 150 ~ 950 VDC | 60Hz | LAN/4G/WiFi Connection | cULus Listed | OCPP 1.6/2.0.1 Certified | Dual 50" 2K HD Screens | 21.5" Instructional Display



Electric Avenue



# Electric AVENUE POPULAR ACCESSORIES

| SINGLE OR DUAL PEDESTAL BASE   | SINGLE OR DUAL PEDESTAL TOP CABLE MANAGEMENT  | UNIVERSAL PEDESTAL BASE (3 CONFIGURATION OPTIONS)   | UNIVERSAL PEDESTAL TOP W/CABLE MANAGEMENT SYSTEM   | PEDESTAL  |
|--|---|---|--|---|
|    |    |    |   |    |
| 330mm (13in) x 1500mm (59in) x 210mm (8.3in)   | 330mm (13in) x 2250mm (88.58in) x 210mm (8.3in)   | 100mm (4in) x 1480mm (58.4in) x 100mm (4in)    600mm (23.5in) x 1480mm (58.4in) x 100mm (4in)   | 350mm (13.8in) x 2420mm (95.2in) x 100mm (4in)    600mm (23.5in) x 2420mm (95.2in) x 100mm (4in)   | 930mm (36.61in) x 805mm (31.69in) x 1665mm (65.55in)  |
| Compatible with:<br>Watti Pro 48A, Watti Pro 80A   |   | Compatible with:<br>Watti Pro Lite, Watti Home Gen2   |  | Compatible with:<br>Watti Direct 30kW   |
| WALL MOUNT CABLE RETRACTOR   | 4.5M CABLE MANAGEMENT   | 7M CABLE MANAGEMENT   | WATTCH MONITORING KIT  | ADAPTERS  |
|    |    |   |   |   |
| 225mm x 85mm x 190mm (8.86in x 3.34in x 7.48in)  | 1282mm X 232mm X 195mm (50.47in x 9.13in x 7.68in)  | 1100mm X 1150mm X 684mm (43.31in x 45.28in x 26.93in)   | Avoid costly infrastructure upgrades and monitor/adjust all building loads with the Wattch CT Monitoring Kit.  | A full line of adapters for all vehicle connectors:   |
| Compatible with:<br>All models of Watti Home Gen2, Watti Pro and Watti Pro Lite  | Compatible with:<br>Watti Direct 60kW-180kW w/4.5m Cables   | Compatible with:<br>Watti Direct 60kW-180kW w/7m Cables   | <i>*Requires an Enterprise software subscription. CTs not included.</i>  | J1772 to NACS<br>NACS to J1772<br>CCS1 to NACS<br>NACS to CCS1  |
| RFID TAGS & CARDS  | WATTI-FI ROUTER   | EV PARKING SIGNAGE  | FACTORY-INSTALED PAYMENT TERMINAL  | WATTI ONEPAY PAYMENT TERMINAL   |
|    |    |    |   |    |
| RFID cards or FOBs for user authentication. Packages of 10/25/100.<br><br>Compatible with Watti Pro, Watti Pro Lite, Watti Pro Echo and Watti Direct DCFC stations | LTE to WiFi connectivity for stations located in areas without a reliable internet connection. Connectivity for up to 16 chargers.<br><i>*Data plans with SIM sold separately</i> | Sturdy Aluminum with Pre-Drilled Holes for wall or pole mounting. Includes charging instructions.<br>203.2mm (8in) H x 304.8mm (12in) W | Optional factory-installed payment terminal for Watti Pro Lite, Watti Pro Echo & all Watti Direct DCFC<br><i>*Requires a payment terminal subscription plan.</i> | Optional unattended payment stations. Services up to 6 commercial level 2 chargers. Pedestal sold separately.<br><i>*Requires a payment terminal subscription plan.</i> |



**Metering Kit**  
Manage every asset in your energy portfolio on a single platform (EV charging, solar, battery storage, etc.)

Experience an up to 21% performance improvement by optimizing O&M activities. The Wattch Metering Kit paired with Electric Avenue's Enterprise Software and charging solutions helps you avoid costly infrastructure upgrades so you can optimize ROI and maximize the value of your energy portfolio.

- Supports up to 250 kWp AC
- Manage up to 250 devices (Ethernet), 32 devices (RS-485)
- Network Connection via LTE
- Integrated Battery Backup
- Supports Load Balancing
- CTs not included



**Watti OnePay**  
The Ultimate App-Free EV Charging Payment Solution


The Watti OnePay revolutionizes EV charging with unmatched convenience and flexibility. This app-less, cashless payment system supports up to six chargers simultaneously, eliminating the need for multiple payment terminals and mobile apps. Designed to enhance usability and accessibility, Watti OnePay provides a seamless charging experience for every driver.

- Capable of servicing up to 6 chargers simultaneously, reducing the need for multiple payment terminals.
- Lowers deployment costs and reduces subscription fees through fewer terminals, offering long-term savings.
- Offers both cellular and Ethernet connections for reliable and flexible communication.
- Dust and water-resistant with IP55 rating, and constructed with durable aluminum materials.
- Options for wall or pedestal mounting to fit various installation environments. Pedestal sold separately.



ACCEPTS ALL MAJOR FORMS OF PAYMENT





## Enterprise Software

Track and monitor every critical metric for your charging stations effortlessly.

Complete visibility and control of your charging stations. Manage payments, control access and reduce the risk of grid overload.

Our platform supports all OCPP compliant charging stations and integrates with other OCPP platforms through OCPI. This allows you to easily connect other OCPP compliant hardware to our software, or connect our software to other OCPP compliant hardware!

Features dynamic load management to balance the demand for electricity with the available supply, ultimately leading to improved energy efficiency, reduced operational costs, and enhanced system reliability.

- ✓ Generate revenue from your charging stations and achieve a return on your investment
- ✓ Create and manage different user groups
- ✓ Robust reporting and energy tracking
- ✓ Choose to keep your station private, or promote public charging in our app and on PlugShare
- ✓ OCPP 2.0.1 and OpenADR compliant. Ready to communicate with utility demand response programs.
- ✓ Remote firmware updates ensure your charging stations always have the latest features, fixes, and security updates


Our software offers a wide range of flexible billing options and payment methods:

### Choose how you want to bill:

- Set fees based on price per kWh
- Manage Connection fees
- Set parking penalty fees
- Create discounts or promotions
- Set different fee levels based on user group

### Collect payments via:

- Mobile App
- Prepaid
- Pay-as-you-Charge
- Coupons or Vouchers
- Credit Card Terminal  
*\*On Wattt Direct Charger Models*



All software tiers are sold on a subscription term basis (1-year, 3-year, or 5-year terms). Ability to cancel anytime. Software subscriptions auto renew based on your term and original purchase date unless cancelled prior to renewal.



## Enterprise Software v. Offline (Non-Networked) Functionality

We offer a variety of software solutions based on the required functionality. Use the comparison chart below to help determine which software package is right for you.

|   | OFFLINE<br>Non-Networked Charging                  | ENTERPRISE FLEET@HOME<br>For Company or Fleet Charging at Home | ENTERPRISE<br>For Level 2 Commercial Stations | ENTERPRISE+<br>For DC Fast Charging Stations |
|---|--|--|---|--|
| Set max current per charger (Amps)                                    | ●  | ●  | ●   | ●  |
| Set max output power per charger (kW)                                 |  | ●  | ●   | ●  |
| Set max charging session duration (mins)                              |  | ●  | ●   | ●  |
| Remote OTA firmware upgrades  |  | ●  | ●   | ●  |
| Dynamic load management   | Up to 5 Chargers (Pro Series Only)                 |  | Unlimited Chargers                            | Unlimited Chargers                           |
| User Authorization by RFID  | Up to 10 RFIDs (Pro)<br>Up to 100 RFIDs (Pro Lite) | Up to 100 RFIDs  | Unlimited RFIDs                               | Unlimited RFIDs                              |
| OCPP Commercial charger for use at home                               |  | ●  | ●   |  |
| Generate kWh employee usage reports for reimbursement                 |  | ●  | ●   | ●  |
| Control charger via mobile app (iOS and Android)                      |  | ●  | ●   | ●  |
| User authentication required to initiate charging                     |  | ●  | ●   | ●  |
| Ideal for company or commercial vehicles charging at home             |  | ●  |   |  |
| Generate charging revenue   |  |  | ●   | ●  |
| Flexible billing/payment options for pay-to-charge                    |  |  | ●   | ●  |
| Monitor/control charging stations with robust dashboard and reporting |  |  | ●   | ●  |
| Optimize charge times/aggregate stations to reduce energy costs       |  |  | ●   | ●  |
| SOFTWARE TERMS & PART NUMBERS:  | 1 Year Package<br>3-Year Package<br>5-Year Package | EASLT1Y<br>EASLT3Y<br>EASLT5Y                                  | EAS1Y<br>EAS3Y<br>EAS5Y                       | EASDC1Y<br>EASDC3Y<br>EASDC5Y                |





## DATA PLANS

### Reliable connectivity for your charging network



When it comes to EV chargers, a reliable and secure internet connection is vital for payment collection, monitoring, and uptime. Our 4G data plans reduce the risk of disconnection by offering ultimate redundancy and access to all North American carriers.



#### 4G Charger Data Plans

Our Watti Pro and Watti Pro Lite chargers with 4G compatibility come ready to operate on reliable 4G networks. We provide the SIM card and data plan with one purchase. Choose your term and pay one fixed annual cost. Includes 300MB of data per month.



#### Watti-Fi Router 4G Data Plans

Our Watti-Fi Routers connect 1-16 Stations, ideal for remote or hard-to-reach areas like parking garages or underground structures, providing reliable connectivity. Our Watti-Fi Router combined with our 4G data plan, ensures efficiency, availability, scalability, and security for your charging stations. Includes 1GB of data per month.



## ADDED PROTECTION

### Extended Warranties & O&M Replacement Plans

Protect your investment with an extended warranty, available on all models of Watti Pro and Watti Direct series charging stations.

#### Watti Pro, Watti Pro Echo & Watti Pro Lite:

- Standard warranty: 36 months (3-years)
- Optional 2-year extended warranty (5-year total coverage)
  - Optional 5-Year O&M Replacement plan (requires purchase of 2-year extended warranty)

#### Watti Direct:

- Standard warranty is 24 months (2-years)
- Optional 1, 2 or 3-year extended warranty (for 3, 4 or 5-years total coverage)
  - Optional 5-Year O&M Replacement plan (requires purchase of 3-year extended warranty)

#### O&M Replacement Plans include:

- 24/7 help desk
- Scheduled preventative maintenance
- Detailed records kept of all maintenance activity
- Dedicated training for facility management teams
- Readily available spare parts for prompt repairs

## Watti Home Gen2: 48A Level 2 Residential Chargers

EAWHGG248-18WIOPLBL

Watti Home Gen2 48 Amp, NEMA 14-50P Opt. Hardwired, WiFi, LED Indicator, OCPP 1.6, 5.5m (18ft) Cable, Black

EAWHGG248-25WIOPLBL

Watti Home Gen2 48 Amp, NEMA 14-50P Opt. Hardwired, WiFi, LED Indicator, OCPP 1.6, 7.6m (25ft) Cable, Black

EAWHGG248-18WIOHWBL

Watti Home Gen2 48 Amp, Hardwired Only, WiFi, LED Indicator, OCPP 1.6, 5.5m (18ft) Cable, Black

EAWHGG248-25WIOHWBL

Watti Home Gen2 48 Amp, Hardwired Only, WiFi, LED Indicator, OCPP 1.6, 7.6m (25ft) Cable, Black

EAWHGG248-18WIOPLWH

Watti Home Gen2 48 Amp, NEMA 14-50P Opt. Hardwired, WiFi, LED Indicator, OCPP 1.6, 5.5m (18ft) Cable, White

EAWHGG248-25WIOPLWH

Watti Home Gen2 48 Amp, NEMA 14-50P Opt. Hardwired, WiFi, LED Indicator, OCPP 1.6, 7.6m Cable (25ft), White

EAWHGG248-18WIOHWWH

Watti Home Gen2 48 Amp, Hardwired Only, WiFi, LED Indicator, OCPP 1.6, 5.5m (18ft) Cable, White

EAWHGG248-25WIOHWWH

Watti Home Gen2 48 Amp, Hardwired Only, WiFi, LED Indicator, OCPP 1.6, 7.6m Cable (25ft), White

## Watti Pro: 48A Level 2 Commercial Chargers

AXLU111001W1P1-RW

Watti Pro 48 Amp, 5" Display, RFID, QR Code, LAN, WiFi, OCPP 1.6/2.0, Hardwired, 5m (16.5ft) Cable

AXLU111001W1P4-RW

Watti Pro 48 Amp, 5" Display, RFID, QR Code, LAN, WiFi, OCPP 1.6/2.0.1, Hardwired, 7m (23ft) Cable

AXLU111001D1P1-RW

Watti Pro 48 Amp, 5" Display, RFID, QR Code, LAN, 4G, OCPP 1.6/2.0, Hardwired, 5m (16.5ft) Cable

AXLU111001D1P4-RW

Watti Pro 48 Amp, 5" Display, RFID, QR Code, LAN, 4G, OCPP 1.6/2.0, Hardwired, 7m (23ft) Cable

## Watti Pro: 80A Level 2 Commercial Chargers

AXLU191001W1P1-RW

Watti Pro 80 Amp, 5" Display, RFID, QR Code, LAN, WiFi, OCPP 1.6/2.0, Hardwired, 5m (16.5ft) Cable

AXLU191001W1P4-RW

Watti Pro 80 Amp, 5" Display, RFID, QR Code, LAN, WiFi, OCPP 1.6/2.0, Hardwired, 7m (23ft) Cable

AXLU191001D1P1-RW

Watti Pro 80 Amp, 5" Display, RFID, QR Code, LAN, 4G, OCPP 1.6/2.0, Hardwired, 5m (16.5ft) Cable

AXLU191001D1P4-RW

Watti Pro 80 Amp, 5" Display, RFID, QR Code, LAN, 4G, OCPP 1.6/2.0, Hardwired, 7m (23ft) Cable



## Watti Pro Lite: 48A Level 2 Commercial/Residential Charger: J1772



EAWPLT48-18WI1HWBL

Watti Pro Lite 48 Amp, J1772, WiFi, LED Indicator, OCPP 1.6, Hardwired, RFID/NFC support, 5.5m (18ft) Cable, Black

EAWPLT48-25WI1HWBL

Watti Pro Lite 48 Amp, J1772, WiFi, LED Indicator, OCPP 1.6, Hardwired, RFID/NFC support, 7.6m (25ft) Cable, Black



EAWPLT48-18WI1HWWH

Watti Pro Lite 48 Amp, J1772, WiFi, LED Indicator, OCPP 1.6, Hardwired, RFID/NFC support, 5.5m (18ft) Cable, White

EAWPLT48-25WI1HWWH

Watti Pro Lite 48 Amp, J1772, WiFi, LED Indicator, OCPP 1.6, Hardwired, RFID/NFC support, 7.6m Cable (25ft), White

## Watti Pro Lite: 48A Level 2 Commercial/Residential Charger: J3400 (NACS)



EAWPLT48-18NCSWI1HWBL

Watti Pro Lite 48 Amp, J3400, WiFi, LED Indicator, OCPP 1.6, Hardwired, RFID/NFC support, 5.5m (18ft) Cable, Black

EAWPLT48-25NCSWI1HWBL

Watti Pro Lite 48 Amp, J3400, WiFi, LED Indicator, OCPP 1.6, Hardwired, RFID/NFC support, 7.6m (25ft) Cable, Black



EAWPLT48-18NCSWI1HWWH

Watti Pro Lite 48 Amp, J3400, WiFi, LED Indicator, OCPP 1.6, Hardwired, RFID/NFC support, 5.5m (18ft) Cable, White

EAWPLT48-25NCSWI1HWWH

Watti Pro Lite 48 Amp, J3400, WiFi, LED Indicator, OCPP 1.6, Hardwired, RFID/NFC support, 7.6m Cable (25ft), White

## Watti Pro Lite: 48A Level 2 Commercial/Residential Charger: 4G Hotspot Mode



EAWPLT48-18WI1HWBL4G

Watti Pro Lite 48 Amp, 4G Hotspot Mode, LED Indicator, OCPP 1.6, Hardwired, RFID/NFC support, 5.5m (18ft) Cable, Black

EAWPLT48-25WI1HWBL4G

Watti Pro Lite 48 Amp, 4G Hotspot Mode, LED Indicator, OCPP 1.6, Hardwired, RFID/NFC support, 7.6m (25ft) Cable, Black



EAWPLT48-18WI1HWWH4G

Watti Pro Lite 48 Amp, 4G Hotspot Mode, LED Indicator, OCPP 1.6, Hardwired, RFID/NFC support, 5.5m (18ft) Cable, White

EAWPLT48-25WI1HWWH4G

Watti Pro Lite 48 Amp, 4G Hotspot Mode, LED Indicator, OCPP 1.6, Hardwired, RFID/NFC support, 7.6m Cable (25ft), White

## Watti Pro Lite: 48A Level 2 Commercial/Residential Charger: Integrated Payment Terminal



EAWPLT48-18WI1HWBLNX

Watti Pro Lite 48 Amp with Credit Card Terminal, WiFi, LED Indicator, OCPP 1.6, Hardwired, RFID/NFC support, 5.5m (18ft) Cable, Black

EAWPLT48-25WI1HWBLNX

Watti Pro Lite 48 Amp with Credit Card Terminal, WiFi, LED Indicator, OCPP 1.6, Hardwired, RFID/NFC support, 7.6m (25ft) Cable, Black



EAWPLT48-18WI1HWWHNX

Watti Pro Lite 48 Amp with Credit Card Terminal, WiFi, LED Indicator, OCPP 1.6, Hardwired, RFID/NFC support, 5.5m (18ft) Cable, White

EAWPLT48-25WI1HWWHNX

Watti Pro Lite 48 Amp with Credit Card Terminal, WiFi, LED Indicator, OCPP 1.6, Hardwired, RFID/NFC support, 7.6m (25ft) Cable, White

## Watti Pro Lite: 48A Level 2 Commercial/Residential Charger: No Network Payment Processing



EAWPLT48-18WI1HWBLHC

Watti Pro Lite 48 Amp, HC Enabled for No-Network Payments, LED Indicator, OCPP 1.6, Hardwired, RFID/NFC support, 5.5m (18ft) Cable, Black

EAWPLT48-25WI1HWBLHC

Watti Pro Lite 48 Amp, HC Enabled for No-Network Payments, LED Indicator, OCPP 1.6, Hardwired, RFID/NFC support, 7.6m (25ft) Cable, Black



EAWPLT48-18WI1HWWHHC

Watti Pro Lite 48 Amp, HC Enabled for No-Network Payments, LED Indicator, OCPP 1.6, Hardwired, RFID/NFC support, 5.5m (18ft) Cable, White

EAWPLT48-25WI1HWWHHC

Watti Pro Lite 48 Amp, HC Enabled for No-Network Payments, LED Indicator, OCPP 1.6, Hardwired, RFID/NFC support, 7.6m Cable (25ft), White

## Watti Direct 30kW DC Fast Chargers



DWWU301U00D1WN-RW

Watti Direct 30kW, Wall Mount, 60A CCS1, OCPP 1.6/2.0, Single Gun, 4.5m (15ft) Cable, White



DWWU301U00D1WS-RW

Watti Direct 30kW, Wall Mount, 60A CCS1, OCPP 1.6/2.0, Single Gun, 7m (23ft) Cable, White



DWWU301U00D1PN-RW

Watti Direct 30kW, Wall Mount, 60A CCS1, OCPP 1.6/2.0, Single Gun, 4.5m (15ft) Cable, Stainless Steel/Black



DWWU301U00D1N7-RW

Watti Direct 30kW, Wall Mount, 60A CCS1, OCPP 1.6/2.0, Single Gun, 7m (23ft) Cable, Stainless Steel/Black



DMWU301U00D2WN-RW

Watti Direct 30P, DC 30kW, Portable, 60A CCS1, OCPP 1.6/2.0, Single Gun, 4.5m (15ft) CCS Cable and 10m (33ft) Supply Cable, White



DMWU301U00D2PN-RW


Watti Direct 30P, DC 30kW, Portable, 60A CCS1, OCPP 1.6/2.0, Single Gun, 4.5m (15ft) CCS Cable and 10m (33ft) Supply Cable, Stainless Steel/Black




## Watti Direct 60kW DC Fast Chargers

|  |                   |   |
|--|-------------------|---|
|  | DSWU601U0UD3WN-RW | Watti Direct 60kW, 120A CCS1, OCPP 1.6/2.0, Dual Gun, 4.5m (15ft) Cables, White                 |
|  | DSWU601U0UD3WS-RW | Watti Direct 60kW, 120A CCS1, OCPP 1.6/2.0, Dual Gun, 7m (23ft) Cables, White                   |
|  | DSWU601U0UD3PN-RW | Watti Direct 60kW, 120A CCS1, OCPP 1.6/2.0, Dual Gun, 4.5m (15ft) Cables, Stainless Steel/Black |
|  | DSWU601U0UD3N7-RW | Watti Direct 60kW, 120A CCS1, OCPP 1.6/2.0, Dual Gun, 7m (23ft) Cables, Stainless Steel/Black   |

## Watti Direct 120kW Upgradable DC Fast Chargers

|  |                   |   |
|--|-------------------|---|
|  | DSWU122I0IDDWN-RW | Watti Direct 120kW, 300A CCS1, OCPP 1.6/2.0, Dual Gun, 4.5m (15ft) Cables |
|  | DSWU122I0IDDWS-RW | Watti Direct 120kW, 300A CCS1, OCPP 1.6/2.0, Dual Gun, 7m (23ft) Cables   |



## Watti Direct 180kW DC Fast Chargers: 300A CCS Cables

|  |                   |   |
|--|-------------------|---|
|  | DSWU182I0IDCWN-RW | Watti Direct 180kW, 300A CCS1, OCPP 1.6/2.0, Dual Gun, 4.5m (15ft) Cables |
|  | DSWU182I0IDCWS-RW | Watti Direct 180kW, 300A CCS1, OCPP 1.6/2.0, Dual Gun, 7m (23ft) Cables   |

## Watti Direct 360kW DC Fast Chargers

|  |                                |   |
|--|--------------------------------|---|
|  | *Request Configuration Options | Watti Direct 360kW, DC Charger w/Fan Cooling System, OCPP 1.6/2.0   |
|  |                                | Watti Direct 360kW, DC Charger w/Liquid Cooling System, OCPP 1.6/2.0  |
|  | *Request Configuration Options | Watti Direct 360kW Next Gen, DC Charger w/Fan Cooling System, 21" Full Colour Display. OCPP 1.6/2.0, Built in Cable Retractors        |
|  |                                | Watti Direct 360kW Next Gen, DC Charger w/Fan Liquid Cooling System, 21" Full Colour Display. OCPP 1.6/2.0, Built in Cable Retractors |

Watti Direct 480kW DC Fast Chargers *\*Coming in 2025*

|  |                                |  |
|--|--------------------------------|--|
|  | *Request Configuration Options | Watti Direct 480kW, DC Charger w/Fan Cooling System, 21" Full Colour Display. OCPP 1.6/2.0, Built in Cable Retractors                                |
|  |                                | Watti Direct 480kW, DC Charger w/Fan Liquid Cooling System, 21" Full Colour Display. OCPP 1.6/2.0, Built in Cable Retractors                         |
|  | *Request Configuration Options | Watti Direct 480kW Power Dispenser, DC Charger w/Fan Cooling System, OCPP 1.6/2.0, Dual 50" 2K HD Advertising Displays, Built in Cable Retractors    |
|  |                                | Watti Direct 480kW Power Dispenser, DC Charger w/Liquid Cooling System, OCPP 1.6/2.0, Dual 50" 2K HD Advertising Displays, Built in Cable Retractors |

## Accessories

|  |                      |   |  |             |                           |
|--|----------------------|---|--|-------------|---------------------------|
|    | KITS0GSAXO01-RW      | Watti Pro Single Pedestal Base  |  |             |                           |
|  | KITCONSAXPH01-RW     | Watti Pro Single Pedestal Cable Management Top (for 5m cables)*   | <i>*Requires Single Pedestal Base</i>  |             |                           |
|  | KITS0GMAXO01-RW      | Watti Pro Dual Pedestal Base (Made in China)  |  |             |                           |
|  | KITS0GMAXO01A-RW     | Watti Pro Dual Pedestal Base (Made in USA)  |  |             |                           |
|  | KITCONMAXPH01-RW     | Watti Pro Dual Pedestal Cable Management Top (for 5m cables) Made in China**  |  |             |                           |
|  | KITCONMAXPH01A-RW    | Watti Pro Dual Pedestal Cable Management Top (for 5m cables) Made in USA**  |  |             |                           |
|  | KITCONMAXPH02-RW     | Watti Pro Dual Pedestal Cable Management Top (for 7m cables)**  | <i>**Requires Dual Pedestal Base</i>   |             |                           |
|    | EAPED-S-BTB-SBS-BL   | Universal Pedestal Base for Watti Pro Lite or Watti Home Gen2   |  |             |                           |
|    | EAPED-S-BTB-SBS-CMBL | Universal Pedestal Top with Cable Management Systems for Watti Pro Lite or Watti Home Gen2                          |  |             |                           |
|   | KITPSDWPH01-RW       | Watti Direct 30kW Pedestal Base   |  |             |                           |
|    | EAWMCR               | Wall Mounted Cable Retractor, 5m (16.4ft) Retract Distance, 0.82" and 0.59" (inner diameter), cable clamps included |  |             |                           |
|    | KITCSDSOL04-RW       | Watti Direct 60kW Cable Mgmt. System, 4.5m cable  |  |             |                           |
|  | KITCSDSOL07-RW       | Watti Direct 120kW-180kW Cable Mgmt. System, Dual 300A CCS1, 4.5m cable   |  |             |                           |
|    | KITCSDSRW23-RW       | Watti Direct 60kW Cable Mgmt. System, Dual 300A CCS1, 7m cable  |  |             |                           |
|  | KITCSDSRW02-RW       | Watti Direct 120kW-180kW Cable Mgmt. System, Dual 300A CCS1, 7m cable   |  |             |                           |
|   | EAKCRFID10           | Key Chain RFID 10 PK  |  | EARFID10BK  | Standard RFID Card 10 PK  |
|  | EAKCRFID25           | Key Chain RFID 25 PK  |  | EARFID25BK  | Standard RFID Card 25 PK  |
|  | EAKCRFID100          | Key Chain RFID 100 PK   |  | EARFID100BK | Standard RFID Card 100 PK |
|  | EASCDP4GC1Y          | 1 Year - 4G Cellular Data Plan for 4G EVSE   300MB data/month   |  |             |                           |
|  | EASCDP4GC3Y          | 3 Year - 4G Cellular Data Plan for 4G EVSE   300MB data/month   |  |             |                           |
|  | EASCDP4GC5Y          | 5 Year - 4G Cellular Data Plan for 4G EVSE   300MB data/month   |  |             |                           |
|  | EALTER116            | LTE Router, Supports 1-16 Stations  |  |             |                           |
|  | EASCDP4GR1Y          | 1 Year - 4G Cellular Data Plan for LTE Router   1GB data/month  |  |             |                           |
|  | EASCDP4GR3Y          | 3 Year - 4G Cellular Data Plan for LTE Router   1GB data/month  |  |             |                           |
|  | EASCDP4GR5Y          | 5 Year - 4G Cellular Data Plan for LTE Router   1GB data/month  |  |             |                           |
|  | EAWIPT-6BL           | Watti OnePay Station - Unattended pay station for up to 6 chargers*   |  |             |                           |
|  | EAWIPT-PED           | Watti OnePay Pedestal - Black   |  |             |                           |
|  | EANPT1               | Credit Card Payment Terminal for DCFC   |  |             |                           |
|  | EAPTDP1Y             | 1 Year - Payment Terminal Subscription Plan   |  |             |                           |
|  | EAPTDP3Y             | 3 Year - Payment Terminal Subscription Plan   |  |             |                           |
|  | EAPTDP5Y             | 5 Year - Payment Terminal Subscription Plan   |  |             |                           |
|  | WSSMODULE135-R00     | 30KW 100A 1000V Power Module  |  |             |                           |
|  | WDAS-L1              | Wattch Metering Kit - Energy metering kit for dynamic load management   |  |             |                           |
|  | EAWMS1Y              | 1 Year - Wattch Metering Platform Subscription Plan   |  |             |                           |
|  | EAWMS3Y              | 3 Year - Wattch Metering Platform Subscription Plan   |  |             |                           |
|  | EAWMS5Y              | 5 Year - Wattch Metering Platform Subscription Plan   |  |             |                           |
|  | EA-J1772NACS         | J1772 to NACS Adapter   |  |             |                           |
|  | EA-NACSJ1772         | NACS to J1772 Adapter   |  |             |                           |
|  | EA-CCS1NACS          | CCS1 to NACS Adapter  |  |             |                           |
|  | EA-NACSCCS1          | NACS to CCS1 Adapter  |  |             |                           |



## WATTI PRO POSTER

Included with every stock order over \$10K when Watti Pros are included on the purchase order

- Showcases the Watti Pro commercial charger
- 24" x 36"
- Poster paper
- *Include Part Number EAWPPOSTER on qualifying POs*



## WATTI PRO LITE FLOOR DISPLAY

Included with every stock order over \$15K when Watti Pro Lites are included on the purchase order

- Showcases the Watti Pro Lite commercial charger
- 60" x 18"
- 3-sided triangular display, free standing
- Bilingual (English and French)
- Sturdy corrugated cardboard
- *Include Part Number EAWPLTDSPLY on qualifying POs*



## ELECTRIC AVENUE END CAP DISPLAY

Included with every stock order over \$25K

- Custom metal end cap display
- Three moveable shelves for flexible merchandising
- Includes a Watti Pro Lite sample charger that mounts directly onto the display
- Includes recommended planogram
- *Include Part Number EAGONDDSPLY on qualifying POs*



## COUNTER / TABLE DISPLAY

Easily mount a demo charger to this adjustable counter/table display. Includes a mounting bracket to support a Watti Pro Lite or Watti Home Gen2 charging station.

- Portable and lightweight
- Ideal for counter days or in-store demos
- Free with the purchase of a demo charger
- *Include part number EATBLDSPLY on qualifying orders*



**ALWAYS BE CHARGING**

info@goelectricave.com | 1-888-353-2283  
GoElectricAve.com

© Electric Avenue Manufacturing Inc. 2024